

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

D1 Claim 1. (Currently amended) A glass-metal leadthrough forming a plug connector, comprising:

two metal pins disposed parallel to one other;

a glass stopper having first and second sides, wherein said two metal pins are sealed in said glass stopper so as to project out from said first and second sides of said glass stopper;

a metal sleeve, prepared by cutting a metallic tube, surrounding said glass stopper; and

x1 ~~new~~ a cover piece, prepared by stamping, ^{properly sealed} ~~arranged on~~ sealed in said first side of said glass stopper so as to surround one of said two pins in a conductive manner, said cover piece being connected in a conductive manner with said metal sleeve, wherein said cover piece is without conductive connection with the other one of said two pins, and wherein said two pins at the side of the cover piece project over a further distance than at the side of the glass stopper opposite to the cover piece.

Claim 2. (Original) The glass-metal-leadthrough according to claim 1, wherein said cover piece is flush with said first side of said glass stopper.

Claim 3. (New) A glass-metal leadthrough, comprising:

two metal pins disposed parallel to one other;

*ADD
DE*
a glass stopper having first and second sides, said two metal pins being sealed in said glass stopper so as to project out from said first and second sides;

a metal sleeve surrounding said glass stopper; and

a cover piece sealed in said first side of said glass stopper so as to surround one of said two pins in a conductive manner, said cover piece being connected in a conductive manner with said metal sleeve, wherein said cover piece is without conductive connection with the other one of said two pins.

Q
Claim 4. (New) The glass-metal-leadthrough according to claim 3, wherein said cover piece is flush with said first side of said glass stopper.

Claim 5. (New) The glass-metal-leadthrough according to claim 3, wherein said two pins at the side of the cover piece project over a further distance than at the side of the glass stopper opposite to the cover piece.

*cancel
3
↓
7
and
1/2*

Claim 6. (New) A glass-metal leadthrough, comprising:

a conductive sleeve;

a glass stopper being surrounded by said conductive sleeve so that a first side and a second side of said glass stopper are defined;

*Art
D2*
a first conductive pin being sealed in said glass stopper so as to project out from said first and second sides;

a second conductive pin being sealed in said glass stopper so as to project out from said first and second sides; and

a conductive cover piece being sealed in a first portion of said first side, said conductive cover piece placing said conductive sleeve in electrical communication with said first conductive pin or said second conductive pin.

Claim 7. (New) The glass-metal leadthrough according to claim 6, wherein said conductive cover piece is flush with a second portion of said first side.

Claim 8. (New) The glass-metal leadthrough according to claim 6, wherein said conductive first pin, said conductive second pin, and said conductive cover are sealed in said glass stopper during glazing of said glass stopper.

Claim 9. (New) The glass-metal leadthrough according to claim 6, wherein the glass-metal leadthrough is disposable in an ignition cap of an airbag assembly.

*Cond
Dr*
Claim 10. (New) The glass-metal leadthrough according to claim
6, wherein said first and second conductive pins project from
said first side a further distance than at said second side.
